SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: LOGENEST LAMBDA NFL-550E

Product Code: None

Company Name: NIPPON KOYU LTD.

Address: No385-14 SHIINOMORI SODEGAURA CHIBA 299-0247 JAPAN

Telephone Number: +81-438-60-2180

Use of the product: Lubricating solution.

SECTION 2 HAZARDS IDENTIFICATION

EU Classification: Not classified as dangerous.

Emergency Overview: Light milky-white, liquid, bland odor. Thermal decomposition may produce toxic products including

perfluoroisobutylene and hydrogen fluoride.

Potential Health Effects and Symptoms:

Inhalation: If thermal decomposition occurs: May be harmful if inhaled.

Ingestion: Emesis(Vomit), or diarrhea.

Eye: Irritation

Skin: Not identified

Chronic Effects: Not known

Medical Conditions Generally known

to be Aggravated by Exposure:

Not known

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s):

| Chemical Name | CAS# | EC# | Wt% | EU | EU | USA | ACGIH | EU | DFG |
|---------------------|--------------|--------------|------|--------|----------|-----------------|-----------------|-------------|-------------|
| / Generic Name | | | | symbol | R-Phrase | OSHA PEL | TLV | ILV | MAK |
| Solvent (Hydro | Confidential | Confidential | >95 | None | None | Not established | Not established | Not | Not |
| Fluoro Ether) | | | | | | | | established | established |
| Perfluorinated | Confidential | Confidential | <5 | None | None | Not established | Not established | Not | Not |
| polyethers bace oil | | | | | | | | established | established |
| Poly tetra fluoro | Confidential | Confidential | <1 | None | None | Not established | Not established | Not | Not |
| ethylene thickener | | | | | | | | established | established |
| Additive | Confidential | Confidential | <0.1 | None | None | Not established | Not established | Not | Not |
| | | | | | | | | established | established |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Carcinogen:

Chemical Name: None CAS#: Reference:

No human carcinogen or potential carcinogen according to IARC Monographs, U.S. NTP, U.S. OSHA Regulation, and Annex I to

Directive 67/548/EEC.

PBT substance and vPvB substance:

Chemical Name: None CAS#: Category:

No component of this product is a PBT or vPvB substance under Regulation (EC)1907/2006.

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

If irritation persists, get medical attention.

Ingestion: If signs/symptoms persist, get medical attention.

Eye: Flash thoroughly with water. Get immediate medical attention.

Skin: Wash with soap and water. If irritation persists, get medical attention.

Note to Physicians: Exposures resulting from intentional misuse and abuse may cause an increase in myocardial irritability.

Do not administer sympathomimetic drugs unless absolutely necessary.

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media: Material will not burn.

Unsuitable

Extinguishing Media:

Not applicable.

Special Fire

Exposure to extreme heat can give rise to thermal decomposition.

Fighting Procedures:

Self-contained breathing apparatus and protective clothing if involved in a fire of other materials.

Unusual Fire and Explosion Hazards:

No unusual fire or explosion hazards are anticipated. No unusual effects are anticipated during fire

extinguishing operations. Avoid breathing the products and substances that may result from the thermal decomposition of the product or the other substances in the fire zone. Keep containers cool with water

spray when exposed to fire to avoid rupture.

Fire and Explosive Properties (See also Section 9):

Hazardous

CO, CO₂, HF, COF₂ PFIB (Perfluoloisobutylene)

Other Properties:

Combustion Products:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Stop the source of the leak or release. Eliminate all ignition sources.

Environmental Precautions: Do not wash away into sewer, and do not let this chemical enter the environment.

Method for Cleaning Up: Sweep material and place in a disposal container.

| SECTION 7 | HANDLING | AND STO | ORAG | Œ | | | | | |
|-------------------------------|---|--|---|-----------------------|--------|--|--|--|--|
| Handling: | Do not handle or store near open flame. Avoid heating above 150°C. Keep container closed. | | | | | | | | |
| Storage: | Store in a cool and dry place. Keep container in a well-ventilated area. Storage away from bases. | | | | | | | | |
| Specific | | ubricating grease | | | | | | | |
| Uses: | | | | | | | | | |
| | | | | | | | | | |
| SECTION 8 | EXPOSURE | CONTRO | OLS/1 | PERSONAL PROTE | CCTION | | | | |
| • | | eshold limits (ACGIH 2005) of by-products from thermal decomposition are applicable. VA(HF):2.6 mg/m³ TLV/TWA(COF ₂):5.4 mg/m³ TLV/STEL(Ceiling) 0.01ppm (PFIB) | | | | | | | |
| Engineering | Controls: | Not requi | ired | | | | | | |
| Personal Prot | ection Equipm | ent(s): | | | | | | | |
| Respirato | ry Protection: | □Req | uired | ☑ Not Required | | | | | |
| Eye/Face Protection: | | | Wear safety glasses. To prevent any contact, wear impervious clothing such as gloves, apron. | | | | | | |
| SECTION 9 | PHYSICAL | AND CHI | EMIC | AL PROPERTIES | | | | | |
| | | | | | | | | | |
| Appearance | : | | Ligh | t milky-white, liquid | | | | | |
| Odor: | | | Blan | nd odor | | | | | |
| pH: | | | Not | applicable | | | | | |
| Boiling Poin | t/Range(°C): | | 76 (Solvent) | | | | | | |
| Melting Poir | nt/Range(°C): | | -138 (Solvent) | | | | | | |
| Decompositi | ion Temperatu | re(°C): | Not applicable | | | | | | |
| Flash Point(| °C): | | Not applicable | | | | | | |
| Flammable | (Explosive) Lin | nits: | No data available | | | | | | |
| Autoignition Temperature(°C): | | No data available | | | | | | | |
| Flammabilit | • | | | lata available | | | | | |
| Explosive Properties: | | No data available | | | | | | | |
| Oxidizing Pr | - | | | applicable | | | | | |
| Vapor Press | | | | mmHg [25°C] (Solvent) | | | | | |
| Vapor Density: | | c.a 9.1 [Ref Std. AIR=1] (Solvent) | | | | | | | |
| • • | cific Gravity: | | | 1.43 (25°C) | | | | | |
| Water Solub | • | | | lata available | | | | | |
| Fat Solubility Partition Co | | | | lata available | | | | | |
| (n-Octanol | | | No | lata available | | | | | |

| No.M-8308 | | MATERIAL SAFETY DATA SHEET | Page 4 of 6 | | | | |
|----------------------------|---------------|--|----------------|--|--|--|--|
| Percent Volatile(%): | | >95 | | | | | |
| Evaporation Rate: | | 33 [Ref Std: BUOAC=1] (Solvent) | | | | | |
| Viscosity(m Pa | a s): | No data available | | | | | |
| SECTION 10 S | STABILITY A | AND REACTIVITY | | | | | |
| Q. 1. | | | | | | | |
| Stability: | | ✓Stable ☐ Unstable | | | | | |
| Conditions to A | | Avoid heating the product above 150°C. Avoid contact with flames. | | | | | |
| Materials to A | void: | Acids. Bases. Oxidizing agents such as H ₂ O ₂ , permanganates and perchlorates. | | | | | |
| | | Halogens and halogenated compounds. | | | | | |
| Hazardous De | composition | CO, CO ₂ , HF, COF ₂ PFIB (Perfluoloisobutylene) | | | | | |
| Products: | | | | | | | |
| Hazardous Pol | • | ☐May Occur ☑ Will Not Occur | | | | | |
| Conditions t | to Avoid: | Temperature above 150°C. | | | | | |
| SECTION 11 T | TOXICOLOG | CICAL INFORMATION | | | | | |
| Acute Toxicity: | | | | | | | |
| Inhalation: | No data avail | lable | | | | | |
| Ingestion: | No data avail | | | | | | |
| Eye: | No data avail | | | | | | |
| Skin: | No data avail | lable | | | | | |
| | | | | | | | |
| Sensitization: | | No data available | | | | | |
| Mutagenicity: | | No data available | | | | | |
| Reproductive ' | Toxicity: | No data available | | | | | |
| Carcinogenicit | ty: | No data available | | | | | |
| Others: N | | None | | | | | |
| SECTION 12 I | ECOLOGICA | L INFORMATION | | | | | |
| | | | | | | | |
| Mobility: | | No data available | | | | | |
| Persistence/Degradability: | | No data available | | | | | |
| Bioaccumulation: | | No data available | | | | | |
| Ecotoxicity: | | No data available | | | | | |
| Other Adverse | e Effects: | Data of solvent: Zero Ozone Depletion Potential. Global Warming Potential.(GWI | P): 55 (100-yr | | | | |
| | | ITH, IPCC2001 method) | | | | | |

SECTION 13 DISPOSAL CONSIDERATION

| Method of Disposal: | Place co | Place contaminated materials in disposable containers and dispose of in a manner consistent with | | | | | |
|-------------------------|---------------|--|--|--|--|--|--|
| - | | cable regulations. Contact local environmental or health authorities for approved disposal of this | | | | | |
| | material | erial. | | | | | |
| | | | | | | | |
| SECTION 14 TRANS | SPORT INF | ORMATION | | | | | |
| | | | | | | | |
| UN#: | None | _ | | | | | |
| UN Shipping Name: | None | | | | | | |
| UN Classification: | | | | | | | |
| UN Packing Group: | None | | | | | | |
| Marine Pollutant: | | Chemical name (wt%) | | | | | |
| | |) | | | | | |
| Special Precautions: | None | | | | | | |
| SECTION 15 REGUI | LATORY IN | NFORMATION | | | | | |
| EU Information: | | | | | | | |
| Information on the I | _abel: | | | | | | |
| Symbol & Indication | on: | Not required | | | | | |
| R-Phrase: | | Not required | | | | | |
| S-Phrase: | | Not required | | | | | |
| Dangerous Component(s): | | None | | | | | |
| Special Precautions | sunder | | | | | | |
| 67/548/EEC Artic | cle 8 and 13 | | | | | | |
| or 1999/45/EC Ai | nnex V: | Not required | | | | | |
| Specific Provisions in | n Relation to | Protection of Man or the Environment: | | | | | |
| 76/769/EEC: | Not regula | ted | | | | | |
| (EC)2037/2000: | Not regula | ted | | | | | |
| (EC)304/2003: | Not regula | ted | | | | | |
| Others: | None | | | | | | |
| | | | | | | | |
| USA Information: | | | | | | | |
| Information on the I | _abel: | | | | | | |
| Signal Word: | _1 | Not required | | | | | |
| Hazard warning: | _1 | Not required | | | | | |
| Safety Advice: | _1 | Not required | | | | | |
| Hazardous Compo | nent(s): | None | | | | | |
| SARA TitleIII, 313: | | | | | | | |
| Chemical Name: | | Wt%: | | | | | |

| None | | | | |
|-----------------|------------------|--|------|--|
| California Prop | position 65: | | | |
| Chemical Name: | | | Wt%: | |
| None | | | | |
| | | | | |
| SECTION 16 O | THER INFORMATION | | | |
| Other Informati | ion: | | | |
| | None | | | |
| | | | | |
| Date of Issue: | October 11, 2006 | | | |
| Revised Date: | April 26, 2010 | | | |
| | | | | |

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- Safe Drinking Water and Toxic Enforcement Act of 1986
- Taitle III of the Superfund Amendments and Reauthorization Act of 1986
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 88/379/EEC, 1999/45/EC and their amendments.
- EU Regulation (EC)3093/94, (EEC)2455/92 and their amendments.

Abbreviations:

EU: European Union

OSHA PEL: PEL (Permissible Exposure Limit) under Occupational Safety and Health Administration

ACGIH TLV: TLV (Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC

DFG MAK: MAK (Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative